

NAG Library Routine Document

F06KEF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F06KEF multiplies a complex vector by the reciprocal of a real scalar.

2 Specification

```
SUBROUTINE F06KEF (N, ALPHA, X, INCX)
```

```
INTEGER N, INCX
```

```
REAL (KIND=nag_wp) ALPHA
```

```
COMPLEX (KIND=nag_wp) X(*)
```

3 Description

F06KEF performs the operation

$$x \leftarrow \frac{1}{\alpha}x$$

where x is an n -element complex vector and α is a real nonzero scalar scattered with stride INCX.

4 References

None.

5 Parameters

- | | | |
|----|---|---------------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the number of elements in x . | |
| 2: | ALPHA – REAL (KIND=nag_wp) | <i>Input</i> |
| | <i>On entry:</i> the scalar α . | |
| | <i>Constraint:</i> ALPHA \neq 0.0. | |
| 3: | X(*) – COMPLEX (KIND=nag_wp) array | <i>Input/Output</i> |
| | Note: the dimension of the array X must be at least $\max(1, 1 + (N - 1) \times \text{INCX})$. | |
| | <i>On entry:</i> the n -element vector x . x_i must be stored in $X(1 + (i - 1) \times \text{INCX})$, for $i = 1, 2, \dots, N$.
Intermediate elements of X are not referenced. | |
| | <i>On exit:</i> the updated vector x , stored in the same array elements used to supply the original vector. | |
| 4: | INCX – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the increment in the subscripts of X between successive elements of x . | |
| | <i>Constraint:</i> INCX > 0. | |

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
