

## NAG Library Function Document

### nag\_complex\_bessel\_y (s17dcc)

#### 1 Purpose

nag\_complex\_bessel\_y (s17dcc) returns a sequence of values for the Bessel functions  $Y_{\nu+n}(z)$  for complex  $z$ , non-negative  $\nu$  and  $n = 0, 1, \dots, N-1$ , with an option for exponential scaling.

#### 2 Specification

```
#include <nag.h>
#include <nags.h>

void nag_complex_bessel_y (double fnu, Complex z, Integer n,
    Nag_ScaleResType scal, Complex cy[], Integer *nz, NagError *fail)
```

#### 3 Description

nag\_complex\_bessel\_y (s17dcc) evaluates a sequence of values for the Bessel function  $Y_\nu(z)$ , where  $z$  is complex,  $-\pi < \arg z \leq \pi$ , and  $\nu$  is the real, non-negative order. The  $N$ -member sequence is generated for orders  $\nu, \nu+1, \dots, \nu+N-1$ . Optionally, the sequence is scaled by the factor  $e^{-|\operatorname{Im}(z)|}$ .

**Note:** although the function may not be called with  $\nu$  less than zero, for negative orders the formula  $Y_{-\nu}(z) = Y_\nu(z) \cos(\pi\nu) + J_\nu(z) \sin(\pi\nu)$  may be used (for the Bessel function  $J_\nu(z)$ , see nag\_complex\_bessel\_j (s17dec)).

The function is derived from the function CBESY in Amos (1986). It is based on the relation  $Y_\nu(z) = \frac{H_\nu^{(1)}(z) - H_\nu^{(2)}(z)}{2i}$ , where  $H_\nu^{(1)}(z)$  and  $H_\nu^{(2)}(z)$  are the Hankel functions of the first and second kinds respectively (see nag\_complex\_hankel (s17dlc)).

When  $N$  is greater than 1, extra values of  $Y_\nu(z)$  are computed using recurrence relations.

For very large  $|z|$  or  $(\nu + N - 1)$ , argument reduction will cause total loss of accuracy, and so no computation is performed. For slightly smaller  $|z|$  or  $(\nu + N - 1)$ , the computation is performed but results are accurate to less than half of *machine precision*. If  $|z|$  is very small, near the machine underflow threshold, or  $(\nu + N - 1)$  is too large, there is a risk of overflow and so no computation is performed. In all the above cases, a warning is given by the function.

#### 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Amos D E (1986) Algorithm 644: A portable package for Bessel functions of a complex argument and non-negative order *ACM Trans. Math. Software* **12** 265–273

#### 5 Arguments

1: **fnu** – double *Input*  
*On entry:*  $\nu$ , the order of the first member of the sequence of functions.  
*Constraint:* **fnu**  $\geq 0.0$ .

- 2: **z** – Complex *Input*  
*On entry:*  $z$ , the argument of the functions.  
*Constraint:*  $\mathbf{z} \neq (0.0, 0.0)$ .
- 3: **n** – Integer *Input*  
*On entry:*  $N$ , the number of members required in the sequence  $Y_\nu(z), Y_{\nu+1}(z), \dots, Y_{\nu+N-1}(z)$ .  
*Constraint:*  $\mathbf{n} \geq 1$ .
- 4: **scal** – Nag\_ScaleResType *Input*  
*On entry:* the scaling option.  
**scal** = Nag\_UnscaleRes  
 The results are returned unscaled.  
**scal** = Nag\_ScaleRes  
 The results are returned scaled by the factor  $e^{-|\text{Im}(z)|}$ .  
*Constraint:* **scal** = Nag\_UnscaleRes or Nag\_ScaleRes.
- 5: **cy[n]** – Complex *Output*  
*On exit:* the  $N$  required function values: **cy**[ $i - 1$ ] contains  $Y_{\nu+i-1}(z)$ , for  $i = 1, 2, \dots, N$ .
- 6: **nz** – Integer \* *Output*  
*On exit:* the number of components of **cy** that are set to zero due to underflow. The positions of such components in the array **cy** are arbitrary.
- 7: **fail** – NagError \* *Input/Output*  
 The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_COMPLEX\_ZERO

On entry,  $\mathbf{z} = (0.0, 0.0)$ .

### NE\_INT

On entry,  $\mathbf{n} = \langle value \rangle$ .  
 Constraint:  $\mathbf{n} \geq 1$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

### NE\_OVERFLOW\_LIKELY

No computation because  $|\mathbf{z}| = \langle value \rangle < \langle value \rangle$ .

No computation because  $\mathbf{fnu} + \mathbf{n} - 1 = \langle value \rangle$  is too large.

No computation because  $\mathbf{z.re} = \langle value \rangle > \langle value \rangle$ ,  $\mathbf{scal} = \text{Nag\_UnscaleRes}$ .

### NE\_REAL

On entry,  $\mathbf{fnu} = \langle value \rangle$ .

Constraint:  $\mathbf{fnu} \geq 0.0$ .

### NE\_TERMINATION\_FAILURE

No computation – algorithm termination condition not met.

### NE\_TOTAL\_PRECISION\_LOSS

No computation because  $|\mathbf{z}| = \langle value \rangle > \langle value \rangle$ .

No computation because  $\mathbf{fnu} + \mathbf{n} - 1 = \langle value \rangle > \langle value \rangle$ .

### NW\_SOME\_PRECISION\_LOSS

Results lack precision because  $|\mathbf{z}| = \langle value \rangle > \langle value \rangle$ .

Results lack precision because  $\mathbf{fnu} + \mathbf{n} - 1 = \langle value \rangle > \langle value \rangle$ .

## 7 Accuracy

All constants in `nag_complex_bessel_y` (s17dcc) are given to approximately 18 digits of precision. Calling the number of digits of precision in the floating-point arithmetic being used  $t$ , then clearly the maximum number of correct digits in the results obtained is limited by  $p = \min(t, 18)$ . Because of errors in argument reduction when computing elementary functions inside `nag_complex_bessel_y` (s17dcc), the actual number of correct digits is limited, in general, by  $p - s$ , where  $s \approx \max(1, \lceil \log_{10} |z| \rceil, \lceil \log_{10} \nu \rceil)$  represents the number of digits lost due to the argument reduction. Thus the larger the values of  $|z|$  and  $\nu$ , the less the precision in the result. If `nag_complex_bessel_y` (s17dcc) is called with  $\mathbf{n} > 1$ , then computation of function values via recurrence may lead to some further small loss of accuracy.

If function values which should nominally be identical are computed by calls to `nag_complex_bessel_y` (s17dcc) with different base values of  $\nu$  and different  $\mathbf{n}$ , the computed values may not agree exactly. Empirical tests with modest values of  $\nu$  and  $z$  have shown that the discrepancy is limited to the least significant 3 – 4 digits of precision.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

The time taken for a call of `nag_complex_bessel_y` (s17dcc) is approximately proportional to the value of  $\mathbf{n}$ , plus a constant. In general it is much cheaper to call `nag_complex_bessel_y` (s17dcc) with  $\mathbf{n}$  greater than 1, rather than to make  $N$  separate calls to `nag_complex_bessel_y` (s17dcc).

Paradoxically, for some values of  $z$  and  $\nu$ , it is cheaper to call `nag_complex_bessel_y` (s17dcc) with a larger value of  $\mathbf{n}$  than is required, and then discard the extra function values returned. However, it is not possible to state the precise circumstances in which this is likely to occur. It is due to the fact that the base value used to start recurrence may be calculated in different regions for different  $\mathbf{n}$ , and the costs in each region may differ greatly.

Note that if the function required is  $Y_0(x)$  or  $Y_1(x)$ , i.e.,  $\nu = 0.0$  or  $1.0$ , where  $x$  is real and positive, and only a single unscaled function value is required, then it may be much cheaper to call `nag_bessel_y0` (s17acc) or `nag_bessel_y1` (s17adc) respectively.

## 10 Example

This example prints a caption and then proceeds to read sets of data from the input data stream. The first datum is a value for the order **fnu**, the second is a complex value for the argument, **z**, and the third is a character value used as a flag to set the argument **scal**. The program calls the function with **n** = 2 to evaluate the function for orders **fnu** and **fnu** + 1, and it prints the results. The process is repeated until the end of the input data stream is encountered.

### 10.1 Program Text

```

/* nag_complex_bessel_y (s17dcc) Example Program.
 *
 * Copyright 2002 Numerical Algorithms Group.
 *
 * Mark 7, 2002.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer          exit_status = 0;
    Complex          z, cy[2];
    double           fnu;
    const Integer    n = 2;
    Integer          nz;
    Nag_ScaleResType scal;
    char             nag_enum_arg[40];
    NagError         fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
    scanf("%*[\n]");
    printf("nag_complex_bessel_y (s17dcc) Example Program Results\n");
    printf("Calling with n = %ld\n", n);
    printf("  fnu      z      scal      cy[0]      "
           "      cy[1]      nz\n");
    while (scanf(" %lf (%lf,%lf) %39s%*[\n] ", &fnu, &z.re, &z.im,
                nag_enum_arg) != EOF)
    {
        /* Convert scal character to enum */
        scal = (Nag_ScaleResType) nag_enum_name_to_value(nag_enum_arg);

        /* nag_complex_bessel_y (s17dcc).
         * Bessel functions Y_(nu+a)(z), real a >= 0, complex z,
         * nu = 0,1,2, ...
         */
        nag_complex_bessel_y(fnu, z, n, scal, cy, &nz, &fail);
        if (fail.code != NE_NOERROR)
        {
            printf("Error from nag_complex_bessel_y (s17dcc).\n%s\n",
                   fail.message);
            exit_status = 1;
            goto END;
        }
        printf("%7.4f (%7.3f,%7.3f) %-14s (%7.3f,%7.3f) (%7.3f,%7.3f) "
               "%ld\n", fnu, z.re, z.im, nag_enum_arg, cy[0].re,
                  cy[0].im, cy[1].re, cy[1].im, nz);
    }

    END:

    return exit_status;
}

```

## 10.2 Program Data

```
nag_complex_bessel_y (s17dcc) Example Program Data
0.00 ( 0.3, 0.4) Nag_UnscaleRes
2.30 ( 2.0, 0.0) Nag_UnscaleRes
2.12 (-1.0, 0.0) Nag_UnscaleRes
1.58 (-2.3, 5.6) Nag_UnscaleRes
1.58 (-2.3, 5.6) Nag_ScaleRes
```

## 10.3 Program Results

```
nag_complex_bessel_y (s17dcc) Example Program Results
Calling with n = 2
      fnu      z      scal      cy[0]      cy[1]      nz
0.0000 ( 0.300, 0.400) Nag_UnscaleRes ( -0.498, 0.670) ( -1.015, 0.949) 0
2.3000 ( 2.000, 0.000) Nag_UnscaleRes ( -0.740, 0.000) ( -1.412, 0.000) 0
2.1200 (-1.000, 0.000) Nag_UnscaleRes ( -1.728, 0.860) ( 6.533, -2.615) 0
1.5800 (-2.300, 5.600) Nag_UnscaleRes ( 36.476, -1.552) ( -2.679, 25.911) 0
1.5800 (-2.300, 5.600) Nag_ScaleRes ( 0.135, -0.006) ( -0.010, 0.096) 0
```

---