

# NAG Library Function Document

## nag\_prob\_students\_t\_vector (g01sbc)

### 1 Purpose

nag\_prob\_students\_t\_vector (g01sbc) returns a number of one or two tail probabilities for the Student's  $t$ -distribution with real degrees of freedom.

### 2 Specification

```
#include <nag.h>
#include <nagg01.h>

void nag_prob_students_t_vector (Integer ltail,
    const Nag_TailProbability tail[], Integer lt, const double t[],
    Integer ldf, const double df[], double p[], Integer ivalid[],
    NagError *fail)
```

### 3 Description

The lower tail probability for the Student's  $t$ -distribution with  $\nu_i$  degrees of freedom,  $P(T_i \leq t_i : \nu_i)$  is defined by:

$$P(T_i \leq t_i : \nu_i) = \frac{\Gamma((\nu_i + 1)/2)}{\sqrt{\pi\nu_i}\Gamma(\nu_i/2)} \int_{-\infty}^{t_i} \left[1 + \frac{T_i^2}{\nu_i}\right]^{-(\nu_i+1)/2} dT_i, \quad \nu_i \geq 1.$$

Computationally, there are two situations:

- (i) when  $\nu_i < 20$ , a transformation of the beta distribution,  $P_{\beta_i}(B_i \leq \beta_i : a_i, b_i)$  is used

$$P(T_i \leq t_i : \nu_i) = \frac{1}{2}P_{\beta_i}\left(B_i \leq \frac{\nu_i}{\nu_i + t_i^2} : \nu_i/2, \frac{1}{2}\right) \quad \text{when } t_i < 0.0$$

or

$$P(T_i \leq t_i : \nu_i) = \frac{1}{2} + \frac{1}{2}P_{\beta_i}\left(B_i \geq \frac{\nu_i}{\nu_i + t_i^2} : \nu_i/2, \frac{1}{2}\right) \quad \text{when } t_i > 0.0;$$

- (ii) when  $\nu_i \geq 20$ , an asymptotic normalizing expansion of the Cornish–Fisher type is used to evaluate the probability, see Hill (1970).

The input arrays to this function are designed to allow maximum flexibility in the supply of vector arguments by re-using elements of any arrays that are shorter than the total number of evaluations required. See Section 2.6 in the g01 Chapter Introduction for further information.

### 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Hastings N A J and Peacock J B (1975) *Statistical Distributions* Butterworth

Hill G W (1970) Student's  $t$ -distribution *Comm. ACM* **13**(10) 617–619

## 5 Arguments

- 1: **ltail** – Integer *Input*  
*On entry:* the length of the array **tail**.  
*Constraint:* **ltail** > 0.
- 2: **tail[ltail]** – const Nag\_TailProbability *Input*  
*On entry:* indicates which tail the returned probabilities should represent. For  $j = (i - 1) \bmod \mathbf{ltail}$ , for  $i = 1, 2, \dots, \max(\mathbf{ltail}, \mathbf{lt}, \mathbf{ldf})$ :  
**tail**[ $j$ ] = Nag\_LowerTail  
The lower tail probability is returned, i.e.,  $p_i = P(T_i \leq t_i : \nu_i)$ .  
**tail**[ $j$ ] = Nag\_UpperTail  
The upper tail probability is returned, i.e.,  $p_i = P(T_i \geq t_i : \nu_i)$ .  
**tail**[ $j$ ] = Nag\_TwoTailConfid  
The two tail (confidence interval) probability is returned, i.e.,  $p_i = P(T_i \leq |t_i| : \nu_i) - P(T_i \leq -|t_i| : \nu_i)$ .  
**tail**[ $j$ ] = Nag\_TwoTailSignif  
The two tail (significance level) probability is returned, i.e.,  $p_i = P(T_i \geq |t_i| : \nu_i) + P(T_i \leq -|t_i| : \nu_i)$ .  
*Constraint:* **tail**[ $j - 1$ ] = Nag\_LowerTail, Nag\_UpperTail, Nag\_TwoTailConfid or Nag\_TwoTailSignif, for  $j = 1, 2, \dots, \mathbf{ltail}$ .
- 3: **lt** – Integer *Input*  
*On entry:* the length of the array **t**.  
*Constraint:* **lt** > 0.
- 4: **t[lt]** – const double *Input*  
*On entry:*  $t_i$ , the values of the Student's  $t$  variates with  $t_i = \mathbf{t}[j]$ ,  $j = (i - 1) \bmod \mathbf{lt}$ .
- 5: **ldf** – Integer *Input*  
*On entry:* the length of the array **df**.  
*Constraint:* **ldf** > 0.
- 6: **df[ldf]** – const double *Input*  
*On entry:*  $\nu_i$ , the degrees of freedom of the Student's  $t$ -distribution with  $\nu_i = \mathbf{df}[j]$ ,  $j = (i - 1) \bmod \mathbf{ldf}$ .  
*Constraint:* **df**[ $j - 1$ ]  $\geq 1.0$ , for  $j = 1, 2, \dots, \mathbf{ldf}$ .
- 7: **p[dim]** – double *Output*  
**Note:** the dimension,  $dim$ , of the array **p** must be at least  $\max(\mathbf{ltail}, \mathbf{lt}, \mathbf{ldf})$ .  
*On exit:*  $p_i$ , the probabilities for the Student's  $t$  distribution.
- 8: **ivalid[dim]** – Integer *Output*  
**Note:** the dimension,  $dim$ , of the array **ivalid** must be at least  $\max(\mathbf{ltail}, \mathbf{lt}, \mathbf{ldf})$ .  
*On exit:* **ivalid**[ $i - 1$ ] indicates any errors with the input arguments, with  
**ivalid**[ $i - 1$ ] = 0  
No error.

**ivalid**[ $i - 1$ ] = 1

On entry, invalid value supplied in **tail** when calculating  $p_i$ .

**ivalid**[ $i - 1$ ] = 2

On entry,  $\nu_i < 1.0$ .

9: **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_ARRAY\_SIZE

On entry, array size =  $\langle value \rangle$ .

Constraint: **ldf** > 0.

On entry, array size =  $\langle value \rangle$ .

Constraint: **It** > 0.

On entry, array size =  $\langle value \rangle$ .

Constraint: **Itail** > 0.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

### NW\_INVALID

On entry, at least one value of **tail** or **df** was invalid.

Check **ivalid** for more information.

## 7 Accuracy

The computed probability should be accurate to five significant places for reasonable probabilities but there will be some loss of accuracy for very low probabilities (less than  $10^{-10}$ ), see Hastings and Peacock (1975).

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

The probabilities could also be obtained by using the appropriate transformation to a beta distribution (see Abramowitz and Stegun (1972)) and using `nag_prob_beta_vector` (g01sec). This function allows you to set the required accuracy.

## 10 Example

This example reads values from, and degrees of freedom for Student's  $t$ -distributions along with the required tail. The probabilities are calculated and printed.

### 10.1 Program Text

```

/* nag_prob_students_t_vector (g01sbc) Example Program.
 *
 * Copyright 2014 Numerical Algorithms Group.
 *
 * Mark 23, 2011.
 */
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg01.h>

int main(void)
{
    /* Integer scalar and array declarations */
    Integer ltail, lt, ldf, i, lout;
    Integer *ivalid = 0;
    Integer exit_status = 0;

    /* NAG structures */
    NagError fail;
    Nag_TailProbability *tail = 0;

    /* Double scalar and array declarations */
    double *t = 0, *df = 0, *p = 0;

    /* Character scalar and array declarations */
    char ctail[40];

    /* Initialise the error structure to print out any error messages */
    INIT_FAIL(fail);

    printf("nag_prob_students_t_vector (g01sbc) Example Program Results\n\n");

    /* Skip heading in data file*/
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif

    /* Read in the input vectors */
#ifdef _WIN32
    scanf_s("%"NAG_IFMT"%*[\n] ", &lttail);
#else
    scanf("%"NAG_IFMT"%*[\n] ", &lttail);
#endif
    if (!(tail = NAG_ALLOC(ltail, Nag_TailProbability))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < ltail; i++) {
#ifdef _WIN32
        scanf_s("%39s", ctail, _countof(ctail));
#else

```

```

        scanf("%39s", ctail);
#endif
        tail[i] = (Nag_TailProbability) nag_enum_name_to_value(ctail);
    }
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif

#ifdef _WIN32
    scanf_s("%"NAG_IFMT"%*[\n] ", &lt);
#else
    scanf("%"NAG_IFMT"%*[\n] ", &lt);
#endif
    if (!(t = NAG_ALLOC(lt, double))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < lt; i++)
#ifdef _WIN32
        scanf_s("%lf", &t[i]);
#else
        scanf("%lf", &t[i]);
#endif
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif

#ifdef _WIN32
    scanf_s("%"NAG_IFMT"%*[\n] ", &ldf);
#else
    scanf("%"NAG_IFMT"%*[\n] ", &ldf);
#endif
    if (!(df = NAG_ALLOC(ldf, double))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < ldf; i++)
#ifdef _WIN32
        scanf_s("%lf", &df[i]);
#else
        scanf("%lf", &df[i]);
#endif
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif

    /* Allocate memory for output */
    lout = MAX(ltail, MAX(lt, ldf));
    if (!(p = NAG_ALLOC(lout, double)) ||
        !(ivalid = NAG_ALLOC(lout, Integer))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* Calculate probability */
    nag_prob_students_t_vector(ltail, tail, lt, t, ldf, df, p, ivalid, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_prob_students_t_vector (g01sbc).\n%s\n",
            fail.message);
        exit_status = 1;
        if (fail.code != NW_INVALID) goto END;
    }

```

```

}

/* Display title */
printf("          tail          t          df          p          ivalid\n");
printf("-----\n");

/* Display results */
for (i = 0; i < lout; i++)
    printf(" %17s    %6.3f    %6.1f    %6.4f    %3"NAG_IFMT"\n",
          nag_enum_value_to_name(tail[i%ltail]), t[i%lt], df[i%ldf],
          p[i], ivalid[i]);

END:
    NAG_FREE(tail);
    NAG_FREE(t);
    NAG_FREE(df);
    NAG_FREE(p);
    NAG_FREE(ivalid);

    return(exit_status);
}

```

## 10.2 Program Data

```

nag_prob_students_t_vector (g01sbc) Example Program Data
4
Nag_LowerTail  Nag_TwoTailSignif  Nag_TwoTailConfid  Nag_UpperTail  :: ltail
1
0.85
1
20.0
:: tail
:: lt
:: t
:: ldf
:: df

```

## 10.3 Program Results

nag\_prob\_students\_t\_vector (g01sbc) Example Program Results

| tail              | t     | df   | p      | ivalid |
|-------------------|-------|------|--------|--------|
| Nag_LowerTail     | 0.850 | 20.0 | 0.7973 | 0      |
| Nag_TwoTailSignif | 0.850 | 20.0 | 0.4054 | 0      |
| Nag_TwoTailConfid | 0.850 | 20.0 | 0.5946 | 0      |
| Nag_UpperTail     | 0.850 | 20.0 | 0.2027 | 0      |