

## NAG Library Function Document

### nag\_g02\_opt\_get (g02zlc)

#### 1 Purpose

nag\_g02\_opt\_get (g02zlc) is used to query the value of optional parameters available to supported problem solving functions in Chapter g02. Currently, only nag\_regsn\_quant\_linear (g02qgc) is supported.

#### 2 Specification

```
#include <nag.h>
#include <nagg02.h>

void nag_g02_opt_get (const char *optstr, Integer *ivalue, double *rvalue,
                    char *cvalue, Integer lcvalue, Nag_VariableType *optype,
                    const Integer iopts[], const double opts[], NagError *fail)
```

#### 3 Description

nag\_g02\_opt\_get (g02zlc) is used to query the current values of options. It is necessary to initialize optional parameter arrays using nag\_g02\_opt\_set (g02zkc) before any options are queried.

nag\_g02\_opt\_get (g02zlc) will normally return either an integer, real or character value dependent upon the type associated with the optional parameter being queried. Whether the option queried is of integer, real or character type is indicated by the returned value of **optype**.

Information on optional parameter names and whether these options are real, integer or character can be found in Section 12 in nag\_regsn\_quant\_linear (g02qgc).

#### 4 References

None.

#### 5 Arguments

- 1: **optstr** – const char \* *Input*  
*On entry:* a string identifying the option whose current value is required. See Section 12 in nag\_regsn\_quant\_linear (g02qgc) for information on valid options. In addition, the following is a valid option:  
**Identify**  
nag\_g02\_opt\_get (g02zlc) returns in **cvalue** the function name supplied to nag\_g02\_opt\_set (g02zkc) when the optional parameter arrays **iopts** and **opts** were initialized.
- 2: **ivalue** – Integer \* *Output*  
*On exit:* if the optional parameter supplied in **optstr** is an integer valued argument, **ivalue** will hold its current value.
- 3: **rvalue** – double \* *Output*  
*On exit:* if the optional parameter supplied in **optstr** is a real valued argument, **rvalue** will hold its current value.

- 4: **cvalue** – char \* *Output*  
**Note:** the string returned in **cvalue** will never exceed  $\min(\mathbf{lvalue}, 41)$  characters in length (including the null terminator).  
*On exit:* if the optional parameter supplied in **optstr** is a character valued argument, **cvalue** will hold its current value, unless **Identify** is specified, see **optstr**.
- 5: **lvalue** – Integer *Input*  
*On entry:* length of **cvalue**. At most  $\min(\mathbf{lvalue} - 1, 40)$  non-null characters will be written into **cvalue**.  
*Constraint:* **lvalue** > 1.
- 6: **optype** – Nag\_VariableType \* *Output*  
*On exit:* indicates whether the optional parameter supplied in **optstr** is an integer, real or character valued argument and hence which of **ivalue**, **rvalue** or **cvalue** holds the current value.  
**optype** = Nag\_Integer  
**optstr** is an integer valued optional parameter, its current value has been returned in **ivalue**.  
**optype** = Nag\_Real  
**optstr** is a real valued optional parameter, its current value has been returned in **rvalue**.  
**optype** = Nag\_Character  
**optstr** is a character valued optional parameter, its current value has been returned in **cvalue**.
- 7: **iopts**[*dim*] – const Integer *Communication Array*  
**Note:** the dimension, *dim*, of this array is dictated by the requirements of associated functions that must have been previously called. This array MUST be the same array passed as argument **iopts** in the previous call to nag\_g02\_opt\_set (g02zkc).
- 8: **opts**[*dim*] – const double *Communication Array*  
**Note:** the dimension, *dim*, of this array is dictated by the requirements of associated functions that must have been previously called. This array MUST be the same array passed as argument **opts** in the previous call to nag\_g02\_opt\_set (g02zkc).
- 9: **fail** – NagError \* *Input/Output*  
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument *<value>* had an illegal value.

### NE\_INT

On entry, **lvalue** = *<value>*.

Constraint: **lvalue** > 1.

**NE\_INTERNAL\_ERROR**

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.  
See Section 3.6.6 in How to Use the NAG Library and its Documentation for further information.

**NE\_INVALID\_OPTION**

On entry, either the option arrays have not been initialized or they have been corrupted.

On entry, the *option* in **optstr** was not recognized: **optstr** =  $\langle value \rangle$ .

**NE\_NO\_LICENCE**

Your licence key may have expired or may not have been installed correctly.  
See Section 3.6.5 in How to Use the NAG Library and its Documentation for further information.

**NW\_TRUNCATED**

On entry, **optstr** indicates a character optional parameter, but **cvalue** is too short to hold the stored value. The returned value will be truncated.

**7 Accuracy**

Not applicable.

**8 Parallelism and Performance**

nag\_g02\_opt\_get (g02zlc) is not threaded in any implementation.

**9 Further Comments**

Not applicable.

**10 Example**

See the example programs associated with the problem solving function you wish to use for a demonstration of how to use nag\_g02\_opt\_get (g02zlc) to query options.

---