

NAG Library Function Document

nag_matop_real_gen_matrix_cond_pow (f01jec)

1 Purpose

nag_matop_real_gen_matrix_cond_pow (f01jec) computes an estimate of the relative condition number κ_{A^p} of the p th power (where p is real) of a real n by n matrix A , in the 1-norm. The principal matrix power A^p is also returned.

2 Specification

```
#include <nag.h>
#include <nagf01.h>
void nag_matop_real_gen_matrix_cond_pow (Integer n, double a[], Integer pda,
    double p, double *condpa, NagError *fail)
```

3 Description

For a matrix A with no eigenvalues on the closed negative real line, A^p ($p \in \mathbb{R}$) can be defined as

$$A^p = \exp(p \log(A))$$

where $\log(A)$ is the principal logarithm of A (the unique logarithm whose spectrum lies in the strip $\{z : -\pi < \text{Im}(z) < \pi\}$).

The Fréchet derivative of the matrix p th power of A is the unique linear mapping $E \mapsto L(A, E)$ such that for any matrix E

$$(A+E)^p - A^p - L(A, E) = o(\|E\|).$$

The derivative describes the first-order effect of perturbations in A on the matrix power A^p .

The relative condition number of the matrix p th power can be defined by

$$\kappa_{A^p} = \frac{\|L(A)\| \|A\|}{\|A^p\|},$$

where $\|L(A)\|$ is the norm of the Fréchet derivative of the matrix power at A .

nag_matop_real_gen_matrix_cond_pow (f01jec) uses the algorithms of Higham and Lin (2011) and Higham and Lin (2013) to compute κ_{A^p} and A^p . The real number p is expressed as $p = q + r$ where $q \in (-1, 1)$ and $r \in \mathbb{Z}$. Then $A^p = A^q A^r$. The integer power A^r is found using a combination of binary powering and, if necessary, matrix inversion. The fractional power A^q is computed using a Schur decomposition, a Padé approximant and the scaling and squaring method.

To obtain an estimate of κ_{A^p} , nag_matop_real_gen_matrix_cond_pow (f01jec) first estimates $\|L(A)\|$ by computing an estimate γ of a quantity $K \in [n^{-1} \|L(A)\|_1, n \|L(A)\|_1]$, such that $\gamma \leq K$. This requires multiple Fréchet derivatives to be computed. Fréchet derivatives of A^q are obtained by differentiating the Padé approximant. Fréchet derivatives of A^p are then computed using a combination of the chain rule and the product rule for Fréchet derivatives.

4 References

Higham N J (2008) *Functions of Matrices: Theory and Computation* SIAM, Philadelphia, PA, USA

Higham N J and Lin L (2011) A Schur–Padé algorithm for fractional powers of a matrix *SIAM J. Matrix Anal. Appl.* **32(3)** 1056–1078

Higham N J and Lin L (2013) An improved Schur–Padé algorithm for fractional powers of a matrix and their Fréchet derivatives *MIMS Eprint 2013.1* Manchester Institute for Mathematical Sciences, School of Mathematics, University of Manchester <http://eprints.ma.man.ac.uk/>

5 Arguments

- 1: **n** – Integer *Input*
On entry: n , the order of the matrix A .
Constraint: $n \geq 0$.
- 2: **a**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **a** must be at least $\mathbf{pda} \times \mathbf{n}$.
The (i, j)th element of the matrix A is stored in $\mathbf{a}[(j - 1) \times \mathbf{pda} + i - 1]$.
On entry: the n by n matrix A .
On exit: the n by n principal matrix p th power, A^p .
- 3: **pda** – Integer *Input*
On entry: the stride separating matrix row elements in the array **a**.
Constraint: $\mathbf{pda} \geq \mathbf{n}$.
- 4: **p** – double *Input*
On entry: the required power of A .
- 5: **condpa** – double * *Output*
On exit: if **fail.code** = NE_NOERROR or NW_SOME_PRECISION_LOSS, an estimate of the relative condition number of the matrix p th power, κ_{A^p} . Alternatively, if **fail.code** = NE_RCOND, the absolute condition number of the matrix p th power.
- 6: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument $\langle \text{value} \rangle$ had an illegal value.

NE_INT

On entry, $\mathbf{n} = \langle \text{value} \rangle$.
Constraint: $\mathbf{n} \geq 0$.

NE_INT_2

On entry, **pda** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: **pda** \geq **n**.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_NEGATIVE_EIGVAL

A has eigenvalues on the negative real line. The principal p th power is not defined in this case; `nag_matop_complex_gen_matrix_cond_pow` (f01kec) can be used to find a complex, non-principal p th power.

NE_RCOND

The relative condition number is infinite. The absolute condition number was returned instead.

NE_SINGULAR

A is singular so the p th power cannot be computed.

NW_SOME_PRECISION_LOSS

A^p has been computed using an IEEE double precision Padé approximant, although the arithmetic precision is higher than IEEE double precision.

7 Accuracy

`nag_matop_real_gen_matrix_cond_pow` (f01jec) uses the norm estimation function `nag_linsys_real_gen_norm_rcomm` (f04ydc) to produce an estimate γ of a quantity $K \in [n^{-1}\|L(A)\|_1, n\|L(A)\|_1]$, such that $\gamma \leq K$. For further details on the accuracy of norm estimation, see the documentation for `nag_linsys_real_gen_norm_rcomm` (f04ydc).

For a normal matrix A (for which $A^T A = A A^T$), the Schur decomposition is diagonal and the computation of the fractional part of the matrix power reduces to evaluating powers of the eigenvalues of A and then constructing A^p using the Schur vectors. This should give a very accurate result. In general, however, no error bounds are available for the algorithm. See Higham and Lin (2011) and Higham and Lin (2013) for details and further discussion.

8 Parallelism and Performance

`nag_matop_real_gen_matrix_cond_pow` (f01jec) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

`nag_matop_real_gen_matrix_cond_pow` (f01jec) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The amount of real allocatable memory required by the algorithm is typically of the order $10 \times n^2$.

The cost of the algorithm is $O(n^3)$ floating-point operations; see Higham and Lin (2013).

If the matrix p th power alone is required, without an estimate of the condition number, then `nag_matop_real_gen_matrix_pow` (f01eqc) should be used. If the Fréchet derivative of the matrix power is required then `nag_matop_real_gen_matrix_frcht_pow` (f01jfc) should be used. If A has negative real

eigenvalues then `nag_matop_complex_gen_matrix_cond_pow` (f01kec) can be used to return a complex, non-principal p th power and its condition number.

10 Example

This example estimates the relative condition number of the matrix power A^p , where $p = 0.2$ and

$$A = \begin{pmatrix} 3 & 3 & 2 & 1 \\ 1 & 1 & 0 & 2 \\ 1 & 4 & 4 & 2 \\ 3 & 1 & 3 & 1 \end{pmatrix}.$$

10.1 Program Text

```

/* nag_matop_real_gen_matrix_cond_pow (f01jec) Example Program.
 *
 * Copyright 2013 Numerical Algorithms Group.
 *
 * Mark 24, 2013.
 */
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf01.h>
#include <nagx04.h>

#define A(I,J) a[J*pda + I]

int main(void)
{
    /* Scalars */
    Integer      exit_status = 0;
    Integer      i, j, n, pda;
    double       p, condpa;
    /* Arrays */
    double       *a = 0;
    /* Nag Types */
    Nag_OrderType order = Nag_ColMajor;
    NagError     fail;

    INIT_FAIL(fail);

    /* Output preamble */
    printf("nag_matop_real_gen_matrix_cond_pow (f01jec) ");
    printf("Example Program Results\n\n");
    fflush(stdout);

    /* Skip heading in data file */
    scanf("%*[^\\n] ");

    /* Read in the problem size and the required power */
    scanf("%ld", &n);
    scanf("%lf", &p);
    scanf("%*[^\\n]");

    pda = n;
    if (!(a = NAG_ALLOC(pda*n, double))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* Read in the matrix A from data file */
    for (i = 0; i < n; i++)
        for (j = 0; j < n; j++) scanf("%lf", &A(i, j));
    scanf("%*[^\\n] ");

    /* Find matrix pth power and condition number using
     * nag_matop_real_gen_matrix_cond_pow (f01jec)

```

```

    * Condition number for real matrix power
    */
nag_matop_real_gen_matrix_cond_pow (n, a, pda, p, &condpa, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_matop_real_gen_matrix_cond_pow (f01jec)\n%s\n",
        fail.message);
    exit_status = 1;
    goto END;
}

/* Print matrix A^p using nag_gen_real_mat_print (x04cac)
 * Print real general matrix (easy-to-use)
 */
nag_gen_real_mat_print (order, Nag_GeneralMatrix, Nag_NonUnitDiag,
    n, n, a, pda, "A^p", NULL, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_real_mat_print (x04cac)\n%s\n", fail.message);
    exit_status = 2;
    goto END;
}

/* Print relative condition number estimate */
printf("Estimated relative condition number is: %7.2f\n", condpa);

END:
NAG_FREE(a);
return exit_status;
}

```

10.2 Program Data

nag_matop_real_gen_matrix_cond_pow (f01jec) Example Program Data

```

4      0.2                :Values of n and p

3.0    3.0    2.0    1.0
1.0    1.0    0.0    2.0
1.0    4.0    4.0    2.0
3.0    1.0    3.0    1.0 :End of matrix a

```

10.3 Program Results

nag_matop_real_gen_matrix_cond_pow (f01jec) Example Program Results

```

A^p
      1      2      3      4
1      1.2368    0.1977    0.1749   -0.0314
2     -0.0543    1.1643   -0.0947    0.3145
3      0.0537    0.3514    1.3254    0.0214
4      0.3339   -0.2125    0.1880    1.0581
Estimated relative condition number is:    2.75

```
