

NAG Library Routine Document

F07AUF (ZGECON)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07AUF (ZGECON) estimates the condition number of a complex matrix A , where A has been factorized by F07ARF (ZGETRF).

2 Specification

SUBROUTINE F07AUF (NORM, N, A, LDA, ANORM, RCOND, WORK, RWORK, INFO)

INTEGER N, LDA, INFO
 REAL (KIND=nag_wp) ANORM, RCOND, RWORK(2*N)
 COMPLEX (KIND=nag_wp) A(LDA,*), WORK(2*N)
 CHARACTER(1) NORM

The routine may be called by its LAPACK name *zgecon*.

3 Description

F07AUF (ZGECON) estimates the condition number of a complex matrix A , in either the 1-norm or the ∞ -norm:

$$\kappa_1(A) = \|A\|_1 \|A^{-1}\|_1 \quad \text{or} \quad \kappa_\infty(A) = \|A\|_\infty \|A^{-1}\|_\infty.$$

Note that $\kappa_\infty(A) = \kappa_1(A^H)$.

Because the condition number is infinite if A is singular, the routine actually returns an estimate of the **reciprocal** of the condition number.

The routine should be preceded by a call to F06UAF to compute $\|A\|_1$ or $\|A\|_\infty$, and a call to F07ARF (ZGETRF) to compute the LU factorization of A . The routine then uses Higham's implementation of Hager's method (see Higham (1988)) to estimate $\|A^{-1}\|_1$ or $\|A^{-1}\|_\infty$.

4 References

Higham N J (1988) FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation *ACM Trans. Math. Software* **14** 381–396

5 Parameters

1: NORM – CHARACTER(1) *Input*

On entry: indicates whether $\kappa_1(A)$ or $\kappa_\infty(A)$ is estimated.

NORM = '1' or 'O'

$\kappa_1(A)$ is estimated.

NORM = 'I'

$\kappa_\infty(A)$ is estimated.

Constraint: NORM = '1', 'O' or 'I'.

- 2: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 3: A(LDA,*) – COMPLEX (KIND=nag_wp) array *Input*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the LU factorization of A , as returned by F07ARF (ZGETRF).
- 4: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F07AUF (ZGECON) is called.
Constraint: $LDA \geq \max(1, N)$.
- 5: ANORM – REAL (KIND=nag_wp) *Input*
On entry: if $NORM = '1'$ or $'O'$, the 1-norm of the **original** matrix A .
 If $NORM = 'I'$, the ∞ -norm of the **original** matrix A .
 ANORM may be computed by calling F06UAF with the same value for the parameter $NORM$.
 ANORM must be computed either **before** calling F07ARF (ZGETRF) or else from a **copy** of the original matrix A (see Section 9).
Constraint: $ANORM \geq 0.0$.
- 6: RCOND – REAL (KIND=nag_wp) *Output*
On exit: an estimate of the reciprocal of the condition number of A . RCOND is set to zero if exact singularity is detected or the estimate underflows. If RCOND is less than **machine precision**, A is singular to working precision.
- 7: WORK($2 \times N$) – COMPLEX (KIND=nag_wp) array *Workspace*
- 8: RWORK($2 \times N$) – REAL (KIND=nag_wp) array *Workspace*
- 9: INFO – INTEGER *Output*
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If $INFO = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed estimate RCOND is never less than the true value ρ , and in practice is nearly always less than 10ρ , although examples can be constructed where RCOND is much larger.

8 Further Comments

A call to F07AUF (ZGECON) involves solving a number of systems of linear equations of the form $Ax = b$ or $A^H x = b$; the number is usually 5 and never more than 11. Each solution involves approximately $8n^2$ real floating point operations but takes considerably longer than a call to F07ASF

(ZGETRS) with one right-hand side, because extra care is taken to avoid overflow when A is approximately singular.

The real analogue of this routine is F07AGF (DGECON).

9 Example

This example estimates the condition number in the 1-norm of the matrix A , where

$$A = \begin{pmatrix} -1.34 + 2.55i & 0.28 + 3.17i & -6.39 - 2.20i & 0.72 - 0.92i \\ -0.17 - 1.41i & 3.31 - 0.15i & -0.15 + 1.34i & 1.29 + 1.38i \\ -3.29 - 2.39i & -1.91 + 4.42i & -0.14 - 1.35i & 1.72 + 1.35i \\ 2.41 + 0.39i & -0.56 + 1.47i & -0.83 - 0.69i & -1.96 + 0.67i \end{pmatrix}.$$

Here A is nonsymmetric and must first be factorized by F07ARF (ZGETRF). The true condition number in the 1-norm is 231.86.

9.1 Program Text

Program f07aufe

```
!      F07AUF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
Use nag_library, Only: nag_wp, x02ajf, zgecon, zgetrf, zlange => f06uaf
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
Character (1), Parameter   :: norm = '1'
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: anorm, rcond
Integer                    :: i, info, lda, n
!      .. Local Arrays ..
Complex (Kind=nag_wp), Allocatable :: a(:, :), work(:)
Real (Kind=nag_wp), Allocatable   :: rwork(:)
Integer, Allocatable            :: ipiv(:)
!      .. Executable Statements ..
Write (nout,*) 'F07AUF Example Program Results'
!      Skip heading in data file
Read (nin,*)
Read (nin,*) n
lda = n
Allocate (a(lda,n),work(2*n),rwork(2*n),ipiv(n))

!      Read A from data file

Read (nin,*)(a(i,1:n),i=1,n)

!      Compute norm of A
!      f06uaf is the NAG name equivalent of the LAPACK auxiliary zlange
anorm = zlange(norm,n,n,a,lda,rwork)

!      Factorize A
!      The NAG name equivalent of zgetrf is f07arf
Call zgetrf(n,n,a,lda,ipiv,info)

Write (nout,*)
If (info==0) Then

!      Estimate condition number

!      The NAG name equivalent of zgecon is f07auf
Call zgecon(norm,n,a,lda,anorm,rcond,work,rwork,info)

If (rcond>=x02ajf()) Then
```

```

      Write (nout,99999) 'Estimate of condition number =', &
        1.0_nag_wp/rcond
    Else
      Write (nout,*) 'A is singular to working precision'
    End If
  Else
    Write (nout,*) 'The factor U is singular'
  End If

99999 Format (1X,A,1P,E10.2)
      End Program f07aufe

```

9.2 Program Data

F07AUF Example Program Data

```

  4                                     :Value of N
(-1.34, 2.55) ( 0.28, 3.17) (-6.39,-2.20) ( 0.72,-0.92)
(-0.17,-1.41) ( 3.31,-0.15) (-0.15, 1.34) ( 1.29, 1.38)
(-3.29,-2.39) (-1.91, 4.42) (-0.14,-1.35) ( 1.72, 1.35)
( 2.41, 0.39) (-0.56, 1.47) (-0.83,-0.69) (-1.96, 0.67) :End of matrix A

```

9.3 Program Results

F07AUF Example Program Results

Estimate of condition number = 1.50E+02
